

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	("347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) with (mount\$3 or carrier or carriage) with (head or print\$1head or cartridge) with (greater or less) near2 (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:23
L2	0	("347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) with (mount\$3 or carrier or carriage) with (head or print\$1head or cartridge) with (greater or less)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:23
L3	0	("347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) near2 (head or print\$1head or chip or carriage)).clm. and ((vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) with (print\$3 or eject\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:22
L4	0	("347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) near2 (head or print\$1head or chip or carriage)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:22
L5	2226	("347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) near2 (head or print\$1head or chip or carriage))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:22
L6	253	("347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3).clm. near2 (head or print\$1head or chip or carriage).clm.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:22
L7	253	"347"/\$3 and ((vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) near2 (head or print\$1head or chip or carriage)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:22

EAST Search History

L8	1	"347"/\$3 and ((vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) with (mount\$3 or carrier or carriage) with (head or print\$1head or cartridge) with (greater or less) near2 (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:49
L9	1	"347"/\$3 and ((vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) with (mount\$3 or carrier or carriage) with (head or print\$1head or cartridge) with (greater or less)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:23
L10	2845	(347/10,11,15,9).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/11 10:50
S1	2	"20040155924"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:13
S2	63902	"347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:47
S3	52550	light near (magenta or cyan or yellow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:47
S4	406500	magenta or cyan or yellow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:48

EAST Search History

S5	1388	S2 S3 S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:48
S6	59369	(dots or drops or droplets or spots) near9 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:26
S7	391	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:51
S8	2	"09164706"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 14:52
S9	48770	(dots or drops or droplets or spots) near5 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:09
S10	48770	S6 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:09
S11	352	S5 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S12	1	different near4 sized near4 droplets and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:22

EAST Search History

S13	2	large\$2 near drop\$5 same darker and small\$2 near drop\$5 same lighter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:23
S14	0	large\$2 near drop\$5 same darker and small\$2 near drop\$5 same lighter and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:23
S15	13469	(dots or drops or droplets or spots) near9 (small or large or big or greater or less) near9 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:26
S16	102	S7 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/08 15:27
S17	0	(dots or drop\$4) near different near sizes same highlight and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:31
S18	2	(dots or drop\$4) near4 different near4 sizes same highlight and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:34
S19	4	(dots or drop\$4) near4 different near4 size same highlight and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:32
S20	4	(dots or drop\$4) near4 different near4 sizes near9 light and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:34

EAST Search History

S21	1207	"347"/\$3.ccls. and halfon\$4 and nozzles	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:41
S22	11	"347"/\$3.ccls. and halfon\$4 and ejecting adj sections	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 08:42
S23	1	"20040155924" and halftone same highlight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S24	63902	"347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S25	52550	light near (magenta or cyan or yellow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S26	406500	magenta or cyan or yellow	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S27	1388	S24 S25 S26	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07
S28	48770	(dots or drops or droplets or spots) near5 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:07

EAST Search History

S29	42	S27 and S28 and (highlight or high\$light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 10:07
S30	1	"6963423" and large and small and dots	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:54
S31	1	"6963423" and (large and small) same dots	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/09 09:55
S32	46	"347"/\$3.ccls. and (S28 same (highlight or high\$light))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 11:16
S34	48821	(dots or drops or droplets or spots) near5 (size or shape or diameter or sizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 10:24
S35	1	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and computer and ((storage or readable) near5 medium) and method near5 manufacturing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 10:28
S36	7	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and computer and ((storage or readable) near5 medium)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 10:37
S37	4	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and method near manufactur\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 12:07

EAST Search History

S38	21	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and (cariage or carriage or caraige or carraige or hold\$3 and engag\$4 near9 first near\$eject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 09:57
S39	0	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and (cariage or carriage or caraige or carraige or hold\$3) and (engag\$4 near9 first near\$eject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:57
S40	1	"347"/\$3.ccls. and (S34 same (highlight or high\$light)) and (cariage or carriage or caraige or carraige or hold\$3) and (engag\$4 near9 first near9 eject\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/10 12:06
S41	2	"20050078163"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 07:56
S44	491	"347"/\$3.ccls. and light near (cyan or magenta or yellow) and (cyan or magenta or yellow) same carriage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 10:01
S45	34	"347"/\$3.ccls. and light near (cyan or magenta or yellow) and (cyan or magenta or yellow) same carriage same (stationary or line\$type or page\$width)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 10:08
S46	19	darkness same 100% and "347"/\$3.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 16:05
S47	3	"6764158"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/14 16:05

EAST Search History

S48	814	347/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/18 06:21
S49	0	"10725348"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:13
S50	1	"10/725348"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:58
S51	239068	(section with highlight or light) and (section with cyan or magenta or yellow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:19
S52	2	("09164706")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:20
S53	6	(high\$light\$3 near (region or area or section) with different with (low\$light or regular or ink)) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:52
S54	33	(light near (cyan or magenta or yellow)) and (cyan and magenta and yellow) with (regions or areas or sections) with (different) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2006/04/24 10:29
S55	2	"20020060706"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/04/24 10:52

EAST Search History

S56	2	"20020060706".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 10:52
S57	1	10/725348	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 10:58
S58	1	10/796781	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 10:58
S59	1005	(heads or print\$heads) same (rows with (nozzle\$1 or ejector\$1 or orifice))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:25
S60	599	(heads or print\$heads) same (rows with (nozzle\$1 or ejector\$1 or orifice)) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:25
S61	348	(heads or print\$heads) with (rows with (nozzle\$1 or ejector\$1 or orifice)) and "347"/\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:35
S62	2	"20020008732"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:30
S63	2	"20020008731"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:36

EAST Search History

S64	2	"6439683".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:30
S65	0	tsschida.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:36
S66	1	10/725348	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:36
S67	91	tschida.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:37
S68	4	"676158".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 12:57
S69	2	"6439683".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/05/11 13:00
S70	1391	"347"/\$3 and (vibrat\$4 or oscillat\$4) same (light\$2 or dark\$2 or deep\$2 or white or high\$1light\$3 or low\$1light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 10:28
S71	288	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (great\$2 or less or more or few\$2 or high\$2 or low\$2) with (light\$2 or dark\$2 or deep\$2 or white or high\$1light\$3 or low\$1light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 11:00

EAST Search History

S72	0	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (great\$2 or less or more or few\$2 or high\$2 or low\$2) with (high\$1light\$3 or low\$1light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 10:53
S73	1	10/725348	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 10:53
S74	14	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (great\$2 or less or more or few\$2 or high\$2 or low\$2) with (((light\$2 or dark\$2 or deep\$2) with (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/22 10:08
S75	6	"347"/\$3 and (greater or higher or more) with (vibrat\$4 or oscillat\$4) with (dark or black or darker or low\$1light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/22 10:08
S76	546	"347"/\$3 and (greater or higher or more) with (vibrat\$4 or oscillat\$4) with (eject\$3 or print\$1head or head or cartridge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 12:23
S77	71	"347"/\$3 and (greater or higher or more) with (vibrat\$4 or oscillat\$4) with (eject\$3 or print\$1head or head or cartridge) same (viscosity or pigment or dye or colorant or coloring or thickness)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/09 12:24
S78	104	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (dark or black or darker or low\$1light\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/22 10:08
S79	64	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (((light\$2 or dark\$2 or deep\$2) with (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/27 08:00

EAST Search History

S80	17	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (ink with (thickness or viscosity or concentration)) and ((ink with (thickness or viscosity or concentration)) same (((light\$2 or dark\$2 or deep\$2) with (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/19 14:45
S81	2	"6488354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/29 11:03
S82	2	"20020060706"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2006/11/29 11:03
S83	4	("20020060706" "6488354").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:39
S84	1	10/725348	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:44
S85	1	10/725348 and (vibrat\$4 with carriage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/19 14:44
S86	1	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (carriage or cartridge or scan\$4 or carrier or sled) with (ink with (thickness or viscosity or concentration)) and ((ink with (thickness or viscosity or concentration)) same (((light\$2 or dark\$2 or deep\$2) with (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/19 15:26

EAST Search History

S87	25	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (carriage or cartridge or scan\$4 or carrier or sled) with (((light\$2 or dark\$2 or deep\$2) with (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/20 08:19
S88	6	"347"/\$3 and (vibrat\$4 or oscillat\$4) with (carriage or cartridge or scan\$4 or carrier or sled) with (((light\$2 or dark\$2 or deep\$2) near (color\$3 or pigment or coloration or dye)) or (white or high\$1light\$3 or low\$1light\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2007/04/20 08:41
S89	6133	"347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) with (head or print\$1head or chip or carriage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 08:47
S90	2214	"347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) near2 (head or print\$1head or chip or carriage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:21
S91	2	"6050680".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/20 09:02
S92	0	"347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) near2 (mount\$3 or carrier or carriage) near4 (head or print\$1head or cartridge) near4 (greater or less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/04/23 10:52
S93	17	"347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) with (mount\$3 or carrier or carriage) with (head or print\$1head or cartridge) with (greater or less)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:20

EAST Search History

S94	10	"347"/\$3 and (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3) with (mount\$3 or carrier or carriage) with (head or print\$1head or cartridge) with (greater or less) near2 (vibrat\$3 or damp\$3 or frequenc\$3 or osscilat\$4 or resonance or resonat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	ON	2007/05/11 10:20
-----	----	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------	-----	----	------------------